



Subject: Annual maintenance repairs restoration of damages of embankments plugging of breaches and raising of bunds for various Nallahs of flood control Sub.division Handwara for the year 2024.25 Section A Litter Nallah Talri Nallah Buderkali Nallah and their tributaries.

Reference: This Office e-NIT No:- 01-IFCD/HND/2024-25 Dated: 26/ 04/2024 bearing Endorsement No:- IFCD/HND/Camp/333- 46 Dated:- 26 /04/2024 under Tender ID 2024_IFC_248229_5

Allotment Order No. IFCDH/ 05 of 2024-25
Dated: 03 10/05/2024

Major Head of Account : 2711-M&R
Advertised Cost : Rs 7.00 Lacs (Rupees Seven Lacs Only).
Allotted Cost : Rs 7.00 Lacs (Rupees Seven Lacs Only).
Time of Completion : Up to 31st of March. 2025
Ref. to Bid : CDR No:- 3636507 Dated 03/05/2024 Amount Rs 14000/-
 CDR NO:- 3636514 Dated:- 13 /05/2024 Amount Rs 21000 /-
Ref. to AAA : AAA issued vide District Superintending Engineer Hydraulic Circle Kupwara H/Q: Handwara's Accord Order No : 78/DSE/ HH/DB of 2023-24 Dated: - 15-03-2024.
Ref. to L.O.I : This office L.O.I No. IFCDH/585-87 Dated:- 08/05/2024.

For and on behalf of the Lt. Governor of Jammu & Kashmir Union Territory, contract for the aforesaid work is hereby fixed with **Mr. Gulam Nabi Wani**, S/o:- S/o:- Gulam Mohammad Wani, R/O: Satkoji Handwara,, bearing Regd. No. PWDJNK-CONT-2022-233375. GSTIN: 01AAUPW0259M1Z5. being the successful bidder (1st Lowest tenderer) as per the comparative statement generated online on the rates quoted by him as shown overleaf.

- The contract is subject to the terms & conditions as laid down in e-NIT of this allotment, PWD Form-25 Double
01. The work shall be executed strictly in accordance with the approved design, drawings, and specifications under the Close supervision of the engineer I/C of site of work.
 02. Since the acceptance of the contract is complete and binding upon you, as such you are requested to execute the Necessary agreement with the department within 07 days from the date of issuance of allotment. However non-Drawl of the agreement shall not absolve you from the contractual obligations.
 03. The final payment would be done as per the work done claim/allotted cost whichever is lesser.

No: I&FCDH/ 973-2024
Dated: 03.06.2024

Head Draftsman

Executive Engineer
Irrigation and FC Division
Handwara

Copy to the:

1. Chief Engineer Kashmir, Jal Shakti Department (I&FC) Department Srinagar for favor of information.
2. Superintendent Engineer, Hydraulic Circle Kupwara, H/Q: - Handwara for favor of information.
3. Assistant Executive Engineer, Flood Control Sub Division Handwara for information and N/A .
4. Head Draftsman Divisional Office for favor of information.
5. Accounts Clerk Divisional Office for information
6. **Mr. Gulam Nabi Wani**, S/o:- S/o:- Gulam Mohammad Wani, R/O: Satkoji Handwara, Contact No:- 9797173030. email/ id:- ndwari14@gmail.com for information and necessary action
7. Concerned File



ایگزیکٹو انجینئر آبپاشی اور سیلاب کنٹرول ڈویژن ہانڈوارا کا دفتر
Office of the Executive Engineer, Irrigation & Flood Control Division
Handwara

कार्यपालक अभियंता सिंचाई एवं बाढ़ नियंत्रण प्रभाग हंडवाड़ा का कार्यालय

RAJWAR ROAD HANDWARA, 193221

EMAIL: Xenirrigationhandwara@gmail.com

Allotment Order No. IFCDH/ 05 of 2024-25 Dated: 03/06/2024

S.No	Particulars	Qty	Unit	Estt. Rate	Allotted Rate (All items @24.990 Below)	Amount
1.00	Hire and running charges of Tipper (min 8 hours).	1.00	day	4875.00	3656.738	3656.738
2.00	Engagement of cutting saw machine (min 8 hours).	1.00	day	1755.00	1316.426	1316.426
3.00	Engagement of Tractor with trolley (min 8 hours).	1.00	day	2080.00	1560.208	1560.208
4.00	Engagement of Blacksmith 1st class.	1.00	day	1048.00	786.1048	786.1048
5.00	Engagement of carpenter 1st class.	1.00	day	1048.00	786.1048	786.1048
6.00	Engagement of Beldar.	1.00	day	715.00	536.3215	536.3215
7.00	Engagement of Mason (average).	1.00	day	1000.00	750.1	750.1
8.00	Supply of stone boulder (quarry) nominal size 225 mm (stack measurements reduced by 15%).	1.00	Cum	2200.00	1650.22	1650.22
9.00	Supply of stone boulder (nallah) nominal size 225 mm (stack measurements reduced by 15%).	1.00	cum	1100.00	825.11	825.11
10.00	Supply of stone for masonry work (Quarry).	1.00	cum	3432.00	2574.343	2574.343
11.00	supply of stone for masonry work (nallah split).	1.00	Cum	1100.00	825.11	825.11
12.00	supply of Soling stone .	1.00	cum	1100.00	825.11	825.11
13.00	Supply of Diesel.	1.00	Ltr.	87.64	65.73876	65.73876
14.00	supply of Petrol.	1.00	Ltr.	102.65	76.99777	76.99777
15.00	Supply of wire crate mesh of size 100x100 with 4mm dia wire incld carriage, mechanical transport head load, etc complete.	1.00	sft	23.00	17.2523	17.2523
16.00	Supply of Zinc Coated Gabions mechanically woven double twisted hexagonal in shape having wire mesh size of 100x120 mm & having mesh wire dia. 2.7 mm, Selvedge Wire dia: 3.4 mm & lacing wire dia. 2.2 mm & PVC coating thickness.	1.00	kg	160.00	120.016	120.016
17.00	Hire charges of Generator 100 KVA/125 KVA.	1.00	hr	360.00	270.036	270.036
18.00	Hire charges of pumpset of capacity 4000 litres/hour.	1.00	day	910.00	682.591	682.591
19.00	Engagement of hydraulic excavatr (Tyre mounted) incld cost of fuel and hire charges of operato rmin 08 hours	1.00	hr	1800.00	1350.18	1350.18
20.00	Engagement of hydraulic excavatr (chain mounted) incld cost of fuel and hire charges of operator min 08 hours	1.00	hr	2500.00	1875.25	1875.25
21.00	providing of polythene sheet for lining for water proofing.	1.00	kg	150.00	112.515	112.515
22.00	Providing of plywood.					
22.10	4mm.	1.00	sqm	442.00	331.5442	331.5442
22.20	6mm.	1.00	sqm	449.00	336.7949	336.7949
22.30	9mm.	1.00	sqm	471.00	353.2971	353.2971
22.40	12mm.	1.00	sqm	670.00	502.567	502.567
23.00	construction muthu bunds, comprising boulders and wood bushes in alternate layers: incld working in water situation.	1.00	cum	1622.25	1216.85	1216.85
24.00	Earth work in excavation by mechanical means (hydraulic excavator) in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed, within a lead of 50 metres:All kinds Of soils.	1.00	cum	256.85	192.6632	192.6632
25.00	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5m, including getting out excavated earth and disposal of surplus excavated earth as directed:All kinds of soils	1.00	Cum	479.30	359.5229	359.5229

Executive Engineer
Jal Shakti I&FC Division
Handwara

ایگزیکٹو انجینئر آبپاشی اور سلاب کنٹرول ڈویژن ہندوارا کا دفتر
Office of the Executive Engineer, Irrigation & Flood Control Division
Handwara

कार्यपालक अभियंता सिंचाई एवं बाढ़ नियंत्रण प्रभाग हंदवाड़ा का कार्यालय
RAJWAR ROAD HANDWARA, 193221

EMAIL: Xenirrigationhandwara@gmail.com

26.00	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m ² on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge.	1.00	cum	592.00	444.0592	444.0592
27.00	Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m ² on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge.	1.00	cum	187.30	140.4937	140.4937
28.00	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5m.	1.00	cum	218.40	163.8218	163.8218
29.00	Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material.	1.00	cum	89.75	67.32148	67.32148
30.00	Removal of unhygienic materials (so classified by the site engineer) from designated sites and its disposal as per directions, all inclusive.	1.00	cum	189.20	141.9189	141.9189
31.00	Centering and shuttering including strutting, propping etc. and removal of form for.					
31.10	Foundations, footings, bases of columns etc. for mass concrete.	1.00	sqm	286.35	214.7911	214.7911
31.20	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	1.00	sqm	628.95	471.7754	471.7754
31.30	Suspended floors, roofs, landings, balconies and access platforms.	1.00	sqm	718.20	538.7218	538.7218
31.40	Columns, pillars, piers, abutments, posts and struts.	1.00	sqm	742.55	556.9868	556.9868
32.00	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with complete job.					
32.10	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size).	1.00	cum	7250.38	5438.51	5438.51
32.20	1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size).	1.00	Cum	6306.96	4730.851	4730.851
32.30	1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size).	1.00	Cum	5722.86	4292.717	4292.717
33.00	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchors blocks, plain window sills, fillets etc upto floor V level, including curing but excluding the cost of centring, shuttering and finishing with. Complete Job.					
33.10	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size).	1.00	Cum	9264.70	6949.451	6949.451
33.20	1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size).	1.00	Cum	8321.28	6241.792	6241.792
34.00	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level Complete Job.					
34.10	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	1.00	cum	8567.24	6426.287	6426.287

[Handwritten signature]

No. 973-98
D. 03-06-2024

[Handwritten signature]
Executive Engineer
Jal Shakti I & FC Division
Handwara



ایگزیکٹو انجینئر آبپاشی اور سلاب کنٹرول ڈویژن ہندوارا کا دفتر

Office of the Executive Engineer, Irrigation & Flood Control Division
Handwara

कार्यपालक अभियंता सिंचाई एवं बाढ़ नियंत्रण प्रभाग हंदवाड़ा का कार्यालय

RAJWAR ROAD HANDWARA, 193221

EMAIL: Xenirrigationhandwara@gmail.com



34.20	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size).	1.00	cum	7814.78	5861.866	5861.866
35.00	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement 1:1½:3 (1 cement :1½ coarse sand: 3 graded stone aggregate 20 mm nominal size) Complete job.	1.00	cum	10335.27	7752.486	7752.486
36.00	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with 1:1½:3 (1 cement :1½ coarse sand: 3 graded Complete Job.	1.00	cum	10804.03	8104.103	8104.103
37.00	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level (Thermo-Mechanically Treated bars of grade Fe-500D or more) Complete job.	1.00	kg	135.52	101.6536	101.6536
38.00	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. (Welded) Complete job.	1.00	Kg	152.02	114.0302	114.0302
39.00	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. Complete Job.	1.00	kg	132.88	99.67329	99.67329
40.00	Slip clearance.					
40.10	In ordinary soils disposal lead upto 50 m and lift upto 1.5 m.	1.00	Cum			
40.20	In soils; mixed with moorum/Kankar/shingle/boulders; disposal lead upto 50 m and lift upto 1.5 m.	1.00	Cum	154.15	115.6279	115.6279
41.00	Silt clearance from canals. Inclusive of initial lead and lift (50m & 1.5m respectively).			331.15	248.3956	248.3956
41.10	Dry.					
41.20	Wet.	1.00	cum	111.00	83.2611	83.2611
42.00	Providing and laying S&S Centrifugally Ductile Iron. Pipes conforming to IS : 8329 Complete job.	1.00	cum	184.95	138.731	138.731
42.10	100 mm dia Ductile Iron Class K - 9 Pipes.					
42.20	150mm dia Ductile Iron Class K - 9 Pipes.	1.00	rmt	1178.65	884.1054	884.1054
42.30	200 mm dia Ductile Iron Class K - 9 Pipes	1.00	rmt	1770.00	1327.677	1327.677
43.00	providing flanged joints to double flanged C.I./D.I pipes to joints providing and laying S&S centrifugly cost (Spun) iron pipes (Class L.A) confrmig to IS 1536 incl. all carriages (complete Job).	1.00	rmt	3278.99	2459.57	2459.57
43.10	100 mm dia. Pipe.	1.00	rmt	1320.11	990.2145	990.2145
43.20	125 mm dia. Pipe.	1.00	rmt	1646.98	1235.4	1235.4
43.30	150 mm dia. Pipe	1.00	rmt	201.31	151.000	151.000

Executive Engineer
Jal Shakti I&FC Division
Handwara
990.2145

43.40	200 mm dia. Pipe.	1.00	rmt	3363.03	2522.609	2522.609
44.00	Providing flanged joints to double flanged C.I. / D.I pipes and specials including testing to joints incld all carriages (complete job).					
44.10	100 mm dia. Pipe.	1.00	no.	304.37	228.3079	228.3079
44.20	125 mm dia. Pipe.	1.00	no.	326.43	244.8551	244.8551
44.30	150 mm dia. Pipe.	1.00	no.	392.98	294.7743	294.7743
44.40	200 mm dia. Pipe.	1.00	no.	450.18	337.68	337.68
45.00	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement: 2 fine sand) including testing of joints etc. complete.					
45.10	100 mm dia. R.C.C. pipe.	1.00	rmt	422.25	316.7297	316.7297
45.20	150 mm dia. R.C.C. pipe.	1.00	rmt	545.90	409.4796	409.4796
45.30	250 mm dia. R.C.C. pipe.	1.00	rmt	746.20	559.7246	559.7246
46.00	Providing of Chain link fabric fencing mesh of size 50x50 mm made of G.I. wire of dia 4 mm.	1.00	sqm	390.00	292.539	292.539
47.00	Brick work with common burnt clay (non-modular) bricks of class designation 7.5 in foundation and plinth including curing in : Cement mortar 1:4 (1 cement : 4 coarse sand).	1.00	cum	7877.40	5908.838	5908.838
48.00	Brick work with common burnt clay (non-modular) bricks of class designation 7.5 in foundation and plinth including curing in : Cement mortar 1:6 (1 cement : 6 coarse sand).	1.00	cum	7571.55	5679.42	5679.42
49.00	Extra for brick work with common burnt clay bricks/cement concrete bricks in superstructure above plinth level upto floor five level.	1.00	cum	455.65	341.7831	341.7831
50.00	Random Rubble masonry with hard stone in superstructure above plinth level and upto floor five level, including levelling up with cement concrete 1:6:12 (1 Cement : 6 coarse sand : 12 graded stone aggregate 20mm nominal size) and curing complete at window sills, ceiling level and the like: incld. all carriages (complete job).					
50.10	Cement mortar 1:6 (1 Cement : 6 coarse sand) Quarry.	1.00	cum	10045.09	7534.822	7534.822
50.20	Cement mortar 1:6 (1 Cement : 6 coarse sand) Nallah.	1.00	cum	9543.20	7158.354	7158.354
51.00	12mm Cement plaster of mix 1 : 4 (1 cement : 4 fine sand).	1.00	sqm	312.18	234.1662	234.1662
52.00	Demolishing cement concrete manually/by mechanical means including disposal of material within 50 meters lead as per direction of Engineer-in-charge:					
52.10	1:3:6 or richer mix (i/c equivalent design mix).	1.00	cum	1725.20	1294.073	1294.073
52.20	1:4:8 or leaner mix (i/c equivalent design mix).	1.00	cum	1064.55	798.519	798.519
53.00	Demolishing R.C.C. work manually/by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 meters lead as per direction of Engineer-in-charge.	1.00	cum	2516.85	1887.889	1887.889
54.00	Demolishing stone rubble masonry manually/by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 meters lead as per direction of Engineer-in-charge: (In cement mortar).	1.00	cum	1740.45	1305.512	1305.512
55.00	Demolishing cement concrete manually/by mechanical means including disposal of material within 50 meters lead as per direction of Engineer-in-charge:1:3:6 or richer mix (i/c equivalent design mix)	1.00	Cum	1725.20	1294.073	1294.073

Executive Engineer



ایگریکٹو انجینئر آبپاشی اور سلاب کنٹرول ڈویژن ہندواڑ کا دفتر

Office of the Executive Engineer, Irrigation & Flood Control Division

Handwara

कार्यपालक अभियंता सिंचाई एवं बाढ़ नियंत्रण प्रभाग हंदवाड़ा का कार्यालय

RAJWAR ROAD HANDWARA, 193221

EMAIL: Xenirrigationhandwara@gmail.com

56.00	Demolishing cement concrete manually/by mechanical means including disposal of material within 50 meters lead as per direction of Engineer-in charge:1:4:8 or leaner mix (if equivalent design mix).	1.00	cum	1065.55	799.2691	799.2691
57.00	Surface dressing of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m in -All kinds of soil.	1.00	sqm	2412.00	1809.241	1809.241
58.00	Removing mortar from and cleaning stones and concrete articles (net quantity of stacks of cleaned materials will be measured) : (In cement mortar).	1.00	cum	496.05	372.0871	372.0871
59.00	Demolishing brick work manually/by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 meters lead as per direction of Engineer-in-charge: (In cement mortar).	1.00	cum	1458.45	1093.983	1093.983
60.00	Removing mortar from bricks and cleaning bricks including stacking within a lead of 50 m. (stacks of cleaned bricks shall be measured) :	1.00	no	4.94	3.705494	3.705494
61.00	Dismantling old protection work including cutting of crates and stacking of stones.	1.00	cum	398.35	298.8023	298.8023
62.00	Demolishing brick work manually/by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 meters lead as per direction of Engineer-in-charge: In cement mortar.	1.00	cum	1458.45	1093.983	1093.983
63.00	Filling empty cement bags with sand/ earth; including cost of sewing and strings; excluding cost of bags and earth / sand.	1.00	no.	7.80	5.85078	5.85078
64.00	Loading/Unloading sand/ earth filled bags in lorries; lead upto 50m.	1.00	No.	4.95	3.712995	3.712995
65.00	Loading sand / earth filled bags in boats; lead upto 50m.	1.00	No.	4.95	3.712995	3.712995
66.00	Unloading sand/earth filled bags from boats.					
66.10	Placing in dry.					
66.20	Placing in Water.	1.00	No.	9.25	6.938425	6.938425
67.00	Hand-packing stones in wire-crates; excluding cost of crates and stones.	1.00	No.	18.50	13.87685	13.87685
68.00	Tipping stone-filled wire crates in position; including equipment charges.	1.00	cum	371.15	278.3996	278.3996
69.00	Dumping stone excluding cost of stones in Horizontal on level.	1.00	cum	312.20	234.1812	234.1812
70.00	Providing of uPVC pipes of required dia incld. All carriages (complete job)	1.00	cum	237.90	178.4488	178.4488
70.10	75 mm .					
70.20	110 mm.	1.00	rmt	127.60	95.71276	95.71276
70.30	150 mm.	1.00	rmt	253.00	189.7753	189.7753
70.40	200 mm.	1.00	rmt	753.50	565.2004	565.2004
71.00	providng, laying and placing in postion of poplar piles haivng girth not less 1500 mm wit stiffness and fasteners incld. Loading/unloading and stacking at site complete job.	1.00	rmt	1144.00	858.1144	858.1144
72.00	P/Fitting of plain GI sheets 0.35 mm thick incld all carriages(complete job).	1.00	cft	1200.00	900.12	900.12
73.00	P/Fitting of plain GI sheets 0.35 mm thick incld all carriages(complete job).	1.00	sqm	350.00	262.535	262.535
73.10	Welding, including transportation of plant at site etc.complete. By gas plant.					
73.20	By electric plant.	1.00	cm	12.90	9.67629	9.67629
74.00	Providing and laying of sand/earth filled geo bags with filled capacity 0.075 cum/no., including of cost of bag, filling of bags, sewing and strings and filling material placing in position dry/wet, all sorts of carriages, manual/mechanical, loading, unloading and stacking etc. but excluding cost of filling material complete job as per directions/satisfaction of Engineer in Charge.	1.00	no.	280.00	4.65062	4.65062

Executive Engineer
Shakti I&FC Division

75.00	Providing and laying of sand/earth filled geo bags with filled capacity 0.075 cum/no., with 70% earth and 30% sand including of cost of bag, filling of bags, sewing and strings and filling material placing in position dry/wet, all sorts of carriages, manual/mechanical, loading, unloading and stacking etc. including cost of filling material complete job as per directions/satisfaction of Engineer in Charge.	1.00	No.	375.00	281.2875	281.2875
76.00	Providing and laying of sand/earth filled mega bags with filled capacity 0.95 cum/no., with 70% earth and 30% sand including of cost of bag, filling of bags, sewing and strings and filling material placing in position dry/wet, all sorts of carriages, manual/mechanical, loading, unloading and stacking etc. including cost of filling material complete job as per directions/satisfaction of Engineer in Charge.	1.00	No.	2665.00	1999.017	1999.017
77.00	Providing and laying of sand/earth filled mega bags with filled capacity 0.95 cum/no., including of cost of bag, filling of bags, sewing and strings and filling material placing in position dry/wet, all sorts of carriages, manual/mechanical, loading, unloading and stacking etc. excluding cost of filling material complete job as per directions/satisfaction of Engineer in Charge.	1.00	No.	1442.00	1081.644	1081.644
78.00	Supply of following items (complete job).					
78.10	Coarse sand zone III .	1.00	cum	3300.00	2475.33	2475.33
78.20	Fine sand zone IV.	1.00	cum	3300.00	2475.33	2475.33
78.30	Stone dust.	1.00	cum	3300.00	2475.33	2475.33
78.40	Earth.	1.00	Cum	880.00	660.088	660.088
79.00	Refreshments for special occasions of District Administration.					
79.10	Tea/Cofee.	1.00	No.	18.00	13.5018	13.5018
79.20	Tea with egg and samosa.	1.00	No.	45.00	33.7545	33.7545
79.30	Water.	1.00	No.	23.00	17.2523	17.2523
79.40	veg Refreshment pack.	1.00	No.	250.00	187.525	187.525
79.50	No-Veg Reshment pack.	1.00	No.	450.00	337.545	337.545
79.60	Mix Dry fruit per serving.	1.00	gm	250.00	187.525	187.525
80.00	Interior finishing White washing with lime to give an even shade on New Work (three or more coats).	1.00	sqm	29.95	22.4655	22.4655
81.00	FIExterior Finishing Finishing walls with water proofing cement paint of required shade on New Work (two or more coats applied @ 3.84 kg/10 sqm).	1.00	sqm	98.75	74.07238	74.07238
82.00	Providing and fixing glazed shutters for doors, windows and clerestory windows using 4mm thick float glass panes including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws.Second class Kail wood.	1.00	cum	3506.90	2630.526	2630.526
83.00	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately):	1.00	Cum	101081.85	75821.5	75821.5
84.00	Providing and fixing of sign board.					
84.10	Tin sign board.	1.00	sft	250.00	187.525	187.525
84.20	Electronic sign boards.	1.00	rft	2000.00	1500.2	1500.2
84.30	Flex sign board.	1.00	sft	70.00	52.507	52.507
84.40	Flex Glow sign board.	1.00	kg	200.00	150.02	150.02
85.00	Carriage as per SOR-2022 and to be paid as per actual.					
86.00	Hire charges of passenger vehicle (Sumo/tevera/scorpio/xylo) incld. POL and Driver complete for full day (8hours) to be paid as per actual mileage.	1.00	Day	2100.00	1575.21	1575.21
87.00	close timbering in case of shafts, wells, cesspits, manholes and the like incld. Strutting, shoring and packing cavities (wherever required) etc. complete. (Measuremenets to be taken of the face area timbered).					

Executive Engineer
Irrigation & Flood Control Division



ایگزیکٹو انجینئر آبپاشی اور سیلاب کنٹرول ڈویژن ہندوارہ کا دفتر

Office of the Executive Engineer, Irrigation & Flood Control Division
Handwara

कार्यपालक अभियंता सिंचाई एवं बाढ़ नियंत्रण प्रभाग हंदवाड़ा का कार्यालय

RAJWAR ROAD HANDWARA, 193221

EMAIL: Xenirrigationhandwara@gmail.com

87.10	Depth not exceeding 1.5m.	1.00	sqm	250.50	187.9001	187.9001
87.20	Depth exceeding 1.5m but not exceeding 3m.	1.00	sqm	227.75	170.8353	170.8353
87.30	Depth exceeding 3m but not exceeding 4.50m.	1.00	sqm	281.30	211.0031	211.0031
88.00	Open timbering in trenches incld. Strutting and shoring complete (measurements to be taken of the face area timbered).					
88.10	Depth not exceeding 1.5m.	1.00	sqm	127.10	95.33771	95.33771
88.20	Depth exceeding 1.5m but not exceeding 3m.	1.00	sqm	134.45	100.8509	100.8509
88.30	Depth exceeding 3m but not exceeding 4.50m.	1.00	sqm	146.55	109.9272	109.9272
Rupees Two Thirty three Thousand Four Hundred and Ninty Four Only/					TOTAL/	233494.2

Checked by

Head D/Man

[Signature]

Mr. 973-78-
D-03-06-2024,

[Signature]
Executive Engineer
Irrigation and FC Division
Handwara

